



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

of it as a dark spot. III and IV transit as dark or black spots, more frequently than would be supposed.

The following were the observations of the satellite as it left the planet :

Internal contact	7 ^h 19 ^m 21 ^s	Mt. Hamilton m. t.
One-half off	7 21 5	" " "
External contact	7 25 55	" " "

According to American Ephemeris, the egress should have been at 7^h 26.7^m, Mt. Hamilton m. t. E. E. B.

MT. HAMILTON, Sept. 3, 1890.

DARK TRANSITS OF *JUPITER'S* FIRST SATELLITE.

A dark transit of *Jupiter's* first satellite occurred on the evening of August 23d. As this was a public night at the Observatory, it was not possible to observe the phenomenon properly; but from such views as were obtained from time to time with the thirty-six-inch equatorial, the satellite, which near the limb of *Jupiter* appeared as a bright white spot, reached equality of brightness with the surface of the planet at about one-fifth of its path on the disc from the limb, and near the center of the disc appeared as a round pale, grayish spot. At egress the order of appearances was reversed.

The satellite traversed the northern half of the white equatorial zone. Its shadow, which was projected on the same belt, was perfectly black.

Almost the same phenomena were observed in the transit of the first satellite on August 30th. J. E. K.

A POSSIBLE EXPLANATION OF THE DARK TRANSITS OF THE SATELLITES OF *JUPITER*.

The phenomena presented by the dark transits of *Jupiter's* satellites are among the most puzzling in the solar system, and any explanation which does not do violence to known natural laws, and is within the bounds of ordinary probability, must be regarded as entitled to some amount of consideration. It is from this standpoint that I wish to present the following as, at least, a possible explanation.

The principal facts to be accounted for are these :

1. In ordinary transits, the satellite is bright when projected upon the surface of *Jupiter* near the limb, and is usually lost sight of when it reaches the central parts of the disc.

2. Occasionally the satellite appears darker than the surface of *Jupiter* when in transit, even when projected on the brightest parts